

December 30, 2002

Via Certified Mall

Mr. Mario Jorquera, PE
Office of Enforcement and Compliance Assurance
U.S. Environmental Protection Agency
Mail code 2242A, Ariel Rios Building
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460

Re:

United States, et. al. v. BP Exploration & Oil, et. al. Northern District of Indiana, Hammond Division

Civil Action No. 2:96 CV 095 RL Giant Yorktown Refinery

Annual Heater and Boiler Update Report, Paragraph 15

For Information Only - No EPA Action Regulred

Dear Mr. Jorquera:

Attached please find the Annual Heater and Boiler Update Report for the Giant Yorktown Refinery. This report is required by Paragraph 15.H.iii of the referenced Consent Decree.

Should you have any questions concerning this report, please contact Peter G. Buckman at (757) 898-9673.

Respectfully.

John J. Stokes

Senior Vice President Giant Yorktown Refinery

Attachment

CC;

Mr. Adam Kushner, Esq.

Environmental Enforcement Section

U.S. Department of Justice

P.O. Box 7611

Washington, D.C. 20044-7611

Mr. Thomas Gleave

Air Protection Division

U.S. Environmental Protection Agency, Region 3

1650 Arch Street (3APOO)

Philadelphia, PA 19103

Norma Eichlin

Sr. Project Manager

MATRIX Environmental & Geotechnical Services, Inc.

215 Ridgedale Ave.

Florham Park, NJ 07932

Nathan Frank

Air and Radiation Division

USEPA, Region 5

77 West Jackson Blvd. (AE-17J)

Chicago, IL 60604

Mr. F. L. Daniel, Director,

Tidewater Regional Office

Department of Environmental Quality

5636 Southern Boulevard

Virginia Beach, Virginia 23462

David Kirby

Giant industries, Inc.

23733 N. Scottsdaie Rd.

Scottsdale, AZ 85255

via Certified Mail

via Certified Mail and email

via Certified Mail and email

via email

via Certified Mail

via USPS

Giant Yorktown Refinery Annual Heater and Boiler Update Report 2002

Listing of Heaters and Boilers >40 mmbtu/hr Firing Capacity
The following information is provided according to Paragraph 15.H.iii of the consent decree.

	Netes:		(10)	101 DOID	F-303 (Uhra)	B-102 (Vacuum Furnace)	F-302 (Utra)	BA-101 (DCU)	BOILERS 2	BOILERS 1	B-101 (Crude Furnece)	Sono
4 3 (2)	(3)		- CE-RX		-) CRUDE	┝	COKER	UNI.	UTL.	CRUDE	
SCR = selective catalytic reduction Other = other control technology SD = permanent shuddown CEM = continuous emission monitor ST = stack test EF = AP-42 emission factor Must be at least 33.3% of total capacity of unit	ULNB = current genera		2			N	N	z	z	z	z	SFORESCHIROSOCIAL SINGLE (19) - 227 (15 % - 14) SINGLE (19) - 227 (15 % - 14) SINGLE (19) - 227 (15 % - 14) SINGLE (17) - 24) SINGLE (17)
The First State of the control tochnology SCR = other control technology SD = permanent shutdown CEM = continuous emission monitor ST = stack test EF = AP-42 emission factor Must be at least 33,3% of total capacity of units rated at >40 minbhuhr (see paragraph 15.D.i) Emissions estimation based en actual firing rates from 1999.	ULNB = current generation ultra low NOx burners									-		For each tiebo commission Installed as perify For each help expected behavior installed by 7000 as
rted at >40 m r from 1999,	_					1		1		 	_1	perios y con
bku'hr (s ee paragrap			2	2	2		2 : 	z :	z : 	z :	V. man a / man a man and a communication of a	Topico di constituto del constituto
n 15.D.))				_							Today Mexi / Structura DE // See Dote / July / See	in and he to expected to have control sinstalled to the control sins and the control sinstalled to the control sinstalled to the control sins and the control sins an
											#(See note-2)#	ed if 2003 as ssars(0) and sars(10) Basis 100 Estriate
	Sum (mmbtu/hr): Percent Controls (%):		\ 	2	2	z	z	~	~	2	TO STATE OF THE PARTY OF THE PA	Addishabhabo excedad
	985	1	\$ 8	3	79	79	97	197.5	137.5	311	Linguista de la companya de la compa	Demonstration that was to compare the common terms of the common t
	319 34.1	\$						137.5	137,5	_1	****(ambtu/bc)***	initico intoleyfieldo ja initico intoleyfie
			0.10	s c		0 07	0.10			0.17	inglo/mmbtu) is a see note: 2):	Sylvinal lengssons of the state
	Sum (tons):		EF	Ţ		ا إ	 			ПΕ	- 1	
	252		20	24	2	3 5	2		٥		STATE OF THE PARTY	remaining helocation becommonled ##